

Material Safety Data Sheet

Revision Date Prepared by Technical Information

November 9, 2010 Howard Clark 1-800-201-8822 or support@mgchemicals.com
Head Office Emergency

9347 - 193 Street, Surrey, B.C., V4N 4E7 Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mgchemicals.com or fax requests to 1-800-708-9888

Section 1: Product Identification

MSDS Code: 422A - aerosol Name: Silicone Conformal Coating

Related Part Numbers: 422A-340G Use: Protective coating for pc boards.

Section 2: Hazardous Ingredients

CAS#	Chemical Name	Percentage by weight	ACGIH TWA	Osha Pel	Osha Stel
115-10-6	dimethylether	15 - 40	1000ppm	n/e	n/e
1330-20-7	xylenes	15 - 30	100ppm	100ppm	150ppm
67-64-1	2-propanone	10 - 30	750ppm	1000ppm	1000ppm
78-93-3	2-butanone	7 - 13	200ppm	200ppm	300ppm

Section 3: Hazards Identification

WHMIS Codes: A, B5, D2A

NFPA Ratings: Health 2 Flammability 3 Reactivity 0 HMIS Ratings: Health 2 Flammability 4 Reactivity 0

Eyes: Causes severe eye irritation.

Skin: Harmful if absorbed through the skin. Irritant. Can cause redness, dryness, and loss of natural oils.

Inhalation: Harmful if inhaled. May cause nausea, dizziness, hallucinations, headache, and loss of coordination.

Ingestion: Harmful if swallowed. May cause headache, dizziness, nausea, vomiting, and abdominal pain. May

cause central nervous system depression.

Chronic: No effects known.

Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water or saline for 20 minutes. Get medical aid.

Skin: Wash skin with large quantities of soap and water. Get medical aid if symptoms persist.

Inhalation: Immediately remove from exposure to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical aid.

Ingestion: Do not induce vomiting. If conscious, give 1-2 glasses of water. Get medical aid.

Section 5: Fire Fighting Measures

Autoignition 272°C Flash Point: -18°C LEL / UEL: 4 / 19

Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

General Information: Will burn if involved in a fire. Containers may explode in the heat of a fire. Flash back along

vapor trail is possible.



Section 6: Accidental Release Measures

Spill Procedure: Remove all sources of ignition. Provide adequate ventilation. Wear appropriate personal

protection. Sprinkle absorbent compound onto spill, then sweep into a plastic or metal container. Wipe up further residue with paper towel and place in container. Wash spill area with soap and

water.

Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame.

Storage: Keep away from sources of ignition. Store in a cool, dry, well ventilated area, away from incompatible

substances. Keep from freezing.

Section 8: Exposure Controls

Routes of entry: Eyes, ingestion, inhalation, and skin.

Ventilation: Use adequate general or local exhaust ventilation to keep airborne concentrations below

exposure limits.

Personal Protection: Wear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate

protective clothing to prevent skin contact. Use a NIOSH approved respirator when

necessary.

Section 9: Physical and Chemical Properties

Physical Aerosol Odor: ethereal Solubility: insoluble Evaporation moderate

State: Rate:

Boiling N/A Specific 0.96 Vapor 40 PSI Vapor Density: 3.1 pH: 7

Point: Gravity: Pressure: @21°C (Air=1)

Section 10: Stability and Reactivity

Stability: Stable at normal temperatures and pressures.

Conditions to avoid: Temperatures over 40°C, ignition sources, and incompatible substances. **Incompatibilities:** Strong acids, bases, oxidizing agents, sodium, barium, and aluminum.

Polymerization: Will not occur.

Formaldehyde (only at temperatures over 160C), dimethylcyclosiloxanes,

Decomposition: methylphenylcyclosiloxanes, carbon monoxide, and carbon dioxide, halogens, halogen

acids, possibly carbonyl halides.

Section 11: Toxicological Information

Sensitization: (effects of repeated exposure) Prolonged or repeated skin contact may cause dermatitis.

Carcinogenicity: (risk of cancer)

Teratogenicity: (risk of malformation in an unborn fetus)

This product contains zylene, a known embryotoxin.

Program woman must awaid all contact with this product.

Pregnant women must avoid all contact with this product.

Reproductive Toxicity: (risk of sterility)

No

Mutangenicity: (risk of heritable genetic effects) No

Lethal ExposureIngestion(LD50):4300 mg/kgInhalation5000Skinn/eConcentrations:(rat)(LC50):ppm/4h(LD50):

PAGE 2 / 4 MSDS Code: 422A - Aerosol



Section 12: Ecological Information

General Information: Avoid runoff into storms and sewers which lead into waterways. Water runoff can cause

environmental damage.

Volatile Organic compounds, % by weight: 70.5% Volatile Organic compounds, grams per litre: 676.8 g/L

Section 13: Disposal Information

General Information: Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff

can cause environmental damage.

Section 14: Transportation Information

Ground:

Consumer Commodity, ORM-D

Air:

Shipper must be trained and certified. Refer to IATA regulations. Must be shipped through a dangerous goods consultant.

Sea:

Limited quantity, UN#1950, Class 2.1. Shipper must be trained and certified. Refer to IMDG regulations.

Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

Section 15: Regulatory Information Cont.

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depletors.

This product does not contain any class 2 ozone depletors.

This product contains xylene and ethyl benzene, two chemicals listed as hazardous air pollutants.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product does not contain any chemicals listed.

Health Canada

Labeling and containers used in this product are listed in compliance with Consumer Chemicals and Container regulations.

Environment Canada

Chemicals in this product are listed on the Domestic Substances List in the Canadian Environmental Protection Act

This product does not contain any ozone depleting substances.

Industry and Science Canada

Labeling, product identity, net quantity declaration, minimum printing type size heights, and packaging of this product is in compliance with the Consumer Packaging and Labeling Act and Regulations. This product is not slack filled in accordance to chapter 4 prohibitions.



RoHS (The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2004).

This product is RoHS compliant.

Section 16: Other Information

Definitions: n/a = not applicable, n/e = not established

Disclaimer: This material safety data sheet is provided as an information resource only. M.G. Chemicals believes

the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and

handling the product in accordance with federal, state, and local regulations.

PAGE 4 / 4 MSDS Code: 422A - Aerosol