

Material Safety Data Sheet

Revision Date Prepared by **Technical Information**

November 9, 2010 1-800-201-8822 or support@mgchemicals.com Patti Rogers **Head Office Emergency**

9347 - 193 Street, Surrey, B.C., V4N 4E7 Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mgchemicals.com or fax requests to 1-800-708-9888

Section 1: Product Identification

MSDS Code: 8333 Name: Super Glue Liquid Related Part Numbers: 8333-3G; 8333-3G-D; 8333-20G

Use: A quick bonding adhesive.

Section 2: Hazardous Ingredients

CAS# **ACGIH TWA** Osha Pel **Chemical Name** Percentage by weight Osha Stel 7085-85-0 Ethyl-2-cyanoacrylate 86-99% 0.2ppm 0.3 ppm

Section 3: Hazards Identification

NFPA Ratings: Health 2 Flammability 2 Reactivity Physical Hazard 2

Irritates eyes, causes tearing from eye irritation. Adhesive will disassociate from eye / eyelids over Eyes:

time, usually within several hours. Temporary weeping of eyes / double vision may be experienced

until clearance is achieved.

Skin: Prolonged or repeated contact at elevated levels may cause dermatitis in sensitive individuals.

Inhalation: Irritation of mucous membranes / coughing. Prolonged or repeated exposure at elevated levels may

produce allergic reactions with asthma-like symptoms in sensitive individuals.

Ingestion: Lips may become stuck together. It is almost impossible to swallow cyanoacrylate as adhesive,

solidifies upon contact with saliva and may adhere to inside of mouth.

Chronic: No residual effects of acute properties.

Section 4: First Aid Measure

Eyes: Flush areas of contact with water.

Skin: Immerse bonded areas in warm, soapy water. Peel or roll skin apart. Remove cured adhesive with

several applications of warm soapy water.

Inhalation: Remove to fresh air.

Ingestion: To unstick lips: apply copious amounts of warm water and encourage wetting / pressure from saliva

inside mouth. Peel or roll (do not pull) lips apart. Adhesion inside mouth: saliva will lift adhesive in 1 -

2 days, avoid swallowing adhesive after attachment.

Section 5: Fire Fighting Measures

Autoignition Flash Point: >81°C (178°F) LEL / UEL: N/E Temperature:

Extinguishing Use water spray, dry chemical extinguisher, foam or Co2. Media:

> PAGE 1 / 4 MSDS Code: 8333



Section 6: Accidental Release Measures

Spill Procedure: Polymerize with water. Solid material may be scraped from surface.

Section 7: Handling and Storage

Handling: Avoid breathing vapor, contact with eyes / skin. Allow product to reach room temperature before use.

Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame.

Storage: Avoid moisture, direct UV - sunlight and do not store above 25°C. Keep containers closed tightly when not

in use. Ideal storage 5 - 10°C.

Section 8: Exposure Controls

Routes of entry: Eyes, ingestion, inhalation.

Ventilation: Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure

limits.

Personal Wear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate protective

clothing to prevent skin contact. Use a NIOSH approved respirator when necessary. Protection:

Section 9: Physical and Chemical Properties

Physical Liquid Odor: Stimulative Solubility in Immiscible Evaporation N/E

State: water: Rate:

Boiling >100°C Specific 1.1 @ Vapor < 0.5mm Hg Vapor N/E pH: N/A

Density: Point: Gravity: 25°C Pressure: @25°C

Section 10: Stability and Reactivity

Stability: Stable at normal temperatures and pressures.

Conditions to avoid: No applicable information found.

Incompatibilities: Water, bases, amines

Polymerization: Will not occur.

No applicable information found. Decomposition:

Section 11: Toxicological Information

Sensitization: (effects of repeated exposure) Repeated skin contact may cause defatting of the skin resulting

in dermatitis.

Carcinogenicity: (risk of cancer) No Teratogenicity: (risk of malformation in an

unborn fetus)

No

Reproductive Toxicity: (risk of sterility) No Mutangenicity: (risk of heritable genetic effects)

Lethal Exposure Concentrations: Ingestion Inhalation Skin Inhalation

(LD50): (LC50): (TCLo): (LD50):

Ethyl-2-cyanoacrylate >5000 mg/kg >4000 ppm/1H >2000 mg kg N/E

> **PAGE 2 / 4** MSDS Code: 8333



Section 12: Ecological Information

General Information:

Volatile Organic compounds, % by weight: 81.6%

Volatile Organic compounds, grams per litre: 816 grams/litre

Section 13: Disposal Information

General Information: Dispose of in accordance with all local, provincial, state, and federal regulations.

Section 14: Transportation Information

Ground:

Not regulated

Air:

Not regulated

Sea:

Not regulated

Section 15: Regulatory Information

CANADA

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

DSL

All ingredients in this product are listed on the Domestic Substances List

WHMIS

This product belongs to the following categories: B3, D2B

Industry and Science Canada

MG Labels products intended for the workplace to conform to WHMIS labeling regulations. Product identification, net quantity declaration, minimum printing type size heights, and packaging of this product are in compliance.

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain any chemicals listed as hazardous air pollutants.

Health Canada

Products produced by MG Chemicals intended for retail display conform to the Canadian Consumer Labeling Regulations.

<u>USA</u>

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA) This product does not contain any chemicals listed.

EUROPE

RoHS

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, or PBDE's, and complies with European RoHS regulations.

WEEE

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

PAGE 3 / 4 MSDS Code: 8333



Section 16: Other Information

Definitions: N/A = not applicable, N/E = not established

Disclaimer: This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the

information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in

accordance with federal, state, and local regulations.

PAGE 4 / 4 MSDS Code: 8333